



MILITARY & LAW ENFORCEMENT



NEVER WALK ALONE.

- + BEST **PERFORMANCE**
- + MORE **SAFETY**
- + OUTSTANDING **QUALITY**
- + OPTIMIZED **DURABILITY**
- + LEGENDARY **RELIABILITY**
- + UNIQUE **VERSABILITY**

HIGH TECH WITH TRADITION. Nothing describes the outstanding competence of arms manufacturer STEYR ARMS and its employees better. Since its foundation in 1864, STEYR ARMS has developed and produced military, law enforcement and hunting weapons whose quality, reliability and precision are legendary. Any shooter who values these qualities will cherish a STEYR ARMS product not only for its lasting value but also for its competitive strength, reliability and long service time.

04



STEYR AUG

ASSAULT
RIFLES

18



STEYR SSG M1



STEYR SSG SX



STEYR SSG 08



STEYR SSG 08 A1



STEYR HS 50 M1



STEYR DMR 762

SNIPER RIFLES

40



STEYR PISTOLS A2 MF

PISTOLS

44



STEYR GL 40

UBGL

48



STEYR UMS

SUPPRESSORS

A soldier wearing a ghillie suit is crouched in a forest, holding an assault rifle. The rifle is equipped with a scope and other attachments. The soldier's face is partially visible through the foliage of the suit. The background is a dense forest with green leaves and branches.

+ RELIABILITY FOR PROFESSIONALS

ASSAULT RIFLES



STEYR AUG A1B / A3



STEYR AUG A1B



STEYR AUG A3





STEYR AUG A1B

- + "BULLPUP" DESIGN - SHORT OVERALL LENGTH
- + QUICK EXCHANGEABLE BARRELS
- + HIGH VERSATILITY
- + INTEGRATED OPTICAL DEVICE
- + EXTREMELY HIGH HIT PROBABILITY
- + UTMOST TRAINING SIMPLICITY
- + HIGHEST OPERATIONAL VERSATILITY
- + VARIOUS **FX SYSTEMS** AVAILABLE

The STEYR AUG is a gas operated (short stroke piston) semi and fully automatic assault rifle with rotary bolt, quick changeable barrel and integrated optical sight. The "Bullpup" design makes it a short, well-balanced rifle with high reliability and accuracy. The AUG is famous for its modular concept which permits field stripping into the main groups within a few seconds without the use of any tools. The AUG is the standard weapon of many Armed Forces and Special Units all over the world since 1977.



STEYR AUG A1B

SPECIFICATIONS	STEYR AUG A1B		
Caliber	5.56x45 NATO/1 in 9" (optional 1 in 7")		
Overall length	barrel length:	with stock:	weight:
	382 mm / 15"	690 mm / 27"	3.2 kg / 7.0 lbs.
	417 mm / 16"	725 mm / 29"	3.3 kg / 7.3 lbs.
	508 mm / 20"	790 mm / 31"	3.6 kg / 7.9 lbs.
Barrel	Interchangeable, with gas regulator and swing/pivot type barrel grip. Cold hammer forged. Chromelined bore including chamber.		
Magazine	Detachable, synthetic (transparent) staggered box type.		
Magazine (-capacity)	30 rounds, 42 rounds (optional)		
Trigger	„Pull through" trigger system. Fires semi automatic when pulled halfway to a clearly felt point, fires fully automatic when pulled fully back.		
Safety	2 or 3 position safety, Lateral push-through type locks trigger		
Stock	Synthetic, olive or black. Optional stock group for NATO magazines.		
Rate of fire	Automatic fire: 680-750 rounds per min. approx.		
Action	Gas-operated. Gas regulator with two action settings for firing to guarantee proper function under all conditions.		
Bolt	Rotary bolt, with seven locking lugs. The rifle can easily be changed from right to left hand ejection.		

STEYR AUG A3



STEYR AUG A3



The STEYR AUG A3 modular weapon system is a result of the continued development of the world renowned STEYR AUG rifle series.

The STEYR AUG A3 design is also based on modular system components, which can be configured from one variant to another quickly and easily, without tools, and at unit level, in order to meet a wide range of future weapon requirements.

- + **BULLPUP DESIGN -**
SHORT OVERALL LENGTH
- + **SHORT NATO ACCESSORY RAIL**
AT 45°
PICATINNY RAIL
- + **BOLT RELEASE BUTTON**

STEYR AUG A3



STEYR AUG A3
with original carrying handle



STEYR AUG A3 Nato



STEYR AUG A3
Blue Gun (FX)



STEYR AUG A3
Red Gun Training

The „Bullpup“ design maintained its short overall length, without influencing the barrel length, to meet or exceed required accuracy standards. The STEYR AUG A3 features a number of Picatinny rails (Mil. Std. 1913 rails), which allow the quick and easy mounting of various accessories, such as illumination and target acquisition devices, including a variety of optics or night vision devices.

A bolt release button allows fast reloading of the rifle. Due to its utmost flexibility design concept, the STEYR AUG A3 is a state-of-the-art, multi-purpose assault rifle, for day and night operations. Armed forces and special operation units all over the world trust in the STEYR AUG platform.



STEYR AUG A3
with STEYR UMS suppressor




Optional case deflector

OPTIONAL ACCESSOIRES

- Case deflector
- Left hand version
- Nato stocks (for Nato magazines)

RETICLES AUG A3 +



Ring
1,5x



Ring &
dot
1,5x, 3x



MILDOT
3x

SPECIFICATIONS	STEYR AUG A3		
Caliber	5.56x45 NATO, .300 AAC Blackout / 1 in 9" or 1 in 7"		
Lengths	barrel length	overall	weight
	<p>382 mm / 16" 417 mm / 16.4" 508 mm / 20"</p>	<p>690 mm / 27" 725 mm / 29" 790 mm / 31"</p>	<p>3,2 kg / 7.0 lbs. 3,3 kg / 7.3 lbs. 3,6 kg / 7.9 lbs.</p>
Barrel	Interchangeable, with gas regulator and swing / pivot type barrel grip. Cold hammer forged. Chromelined bore including chamber.		
Rifling	number of grooves 6, twist length, 1 turn right 228,6mm (9") Also available in 1 in 7"		
Magazine	Detachable, synthetic (transparent) staggered box type.		
Magazine (-capacity)	30 rounds, 42 rounds (optional)		
Trigger	„Pull through“ trigger system. Fires semi automatic when pulled halfway to a clearly felt point, fires fully automatic when pulled fully back.		
Safety	3 position safety		
Stock	Synthetic, olive or black. Optional stock group for NATO magazines.		
Action	Gas-operated. Gas regulator with two action settings for firing to guarantee proper function under all conditions.		
Bolt	Rotary bolt, with seven locking lugs.		
Trigger mechanism	Synthetic (except for springs, steel bearing pins and catch holding open).		
Housing group	Receiver (housing) with 1.5 or 3x optical sight with ring reticle (integrated in the carrying handle). Top picatinny rail only (different lengths available)		



The STEYR AUG A3 M II is the latest stage of development of the legendary STEYR StG 77, that has been adapted and improved in close coordination with national and international authorities.

The new features of the STEYR AUG A3 M II:

ambidextrous
QD-swivel mount

Off-set Picatinny-Rail for
mounting of various attachments
such as laser or lamps

STEYR AUG A3 M II



M-LOK handguard



folding charging
handle



STEYR AUG A3 M II

Customers, who already own a STEYR AUG A3 with long-rail, can upgrade their rifle with this retrofit kit.



Retrofit Kit
AUG A3 M II LR



- + "BULLPUP" DESIGN - SHORT OVERALL LENGTH
- + UTMOST TRAINING SIMPLICITY
- + HIGHEST OPERATIONAL VERSATILITY
- + QUICK EXCHANGEABLE BARRELS
- + ENHANCED 9X19 PERFORMANCE



STEYR AUG A3 9mm

Designed for operations where caliber 9 mm is the best choice. No other 9 mm weapon gives such accuracy with high hit probability as the STEYR AUG A3 9mm carbine. High accuracy and extreme performance is achieved by a long barrel which gives a higher muzzle energy than any other 9mm weapon. The flash hider allows the use of quick attachable silencers. The closed bolt firing system gives the extra edge in accuracy and safety.

The sophisticated Picatinny rail system permits all options for attachment of optical sights, red dot sights, white lights and laser aiming devices. The muzzle device allows the use of quick attachable silencers and a bolt release button the fast reloading of the rifle.

SPECIFICATIONS	STEYR AUG A3 9mm	
Caliber	9x19 / 1 in 10"	
Overall length	Overall length: 640 mm / 25.2" 655 mm / 25.78" 710 mm / 27.95"	Barrel length: 350 mm, 13.8" 365 mm, 14.37" 420 mm, 16.5" Cold hammer forged. Chromelined bore including chamber. Other barrel lengths available
Weight	with barrel 350 mm, 13,8": 2,9 kg, 6.4 lbs.	
Magazine	detachable, steel, staggered box type	
Magazine (-capacity)	25 rounds	
Trigger	„Pull through" trigger system. Fires semi automatic when pulled halfway to a clearly felt point, fires fully automatic when pulled fully back.	
Safety	3 position safety, Lateral push-through type locks trigger, integrated firing pin safety.	
Stock	Synthetic, black	
Rate of fire	Automatic fire: 650-720 rounds per minute	

A close-up, low-angle shot of a police officer in tactical gear aiming a Steyr sniper rifle. The officer is wearing a black cap with 'POLICE' on it, sunglasses, and a tactical vest. The rifle is mounted on a tripod and has a large scope. The background is a plain, light-colored wall.

SNIPER RIFLES

+ ACCURACY FOR PROFESSIONALS





STEYR SSG M1

THE MULTI CALIBER SNIPER RIFLE

- + **M-LOK** FOREND
- + **TOP-PICATINNY RAIL** 30 MOA
- + **ADDITIONAL** PICATINNY RAILS
- + **TRIGGER** ADJUSTABLE IN LENGTH
- + **EXCHANGEABLE** GRIP STRAPS
- + **AMBIDEXTROUS** SAFETY
- + **LOW PROFILE** MAGAZINE CHANGE
- + **FULLY ADJUSTABLE** FOLDING STOCK

QUICK EXCHANGEABLE
BARRELS / CALIBERS +



STEYR SSG M1 with accessories



The new STEYR SSG M1 marks a new step in evolution of sniper rifles. Based on traditional virtues like precision and reliability a whole range of new features enables the shooter to improve his shooting performance.

STEYR SSG M1



STEYR SSG M1



STEYR SSG M1 Black



STEYR SSG M1 FDE



STEYR SSG M1 OD-Green



Barrel length: 508 mm, 20.00", 7,62x51 NATO,




Barrel length: 508 mm, 20.00", 7,62x51 NATO, 6,5 Creedmoor



Barrel length: 690 mm, 27.2", 338 Lapua Mag. (8,6x70mm)



Foldable aluminium stock



Fully adjustable Buttstock

SPECIFICATIONS	STEYR SSG M1
Caliber	338 Lapua Mag. (8,6x70mm), 7,62x51 NATO, 6,5 Creedmoor
Overall length	Caliber 338 Lapua Mag. (8,6x70mm) With barrel 690 mm / 27.16": 1280 mm / 50.4" With folded stock: barrel 690 mm / 27.16": 1080 mm / 42.5" Caliber 7,62x51 NATO and 6,5 Creedmoor With barrel 635 mm / 23.62": 1190 mm / 46.85" With folded stock: barrel 635 mm / 25.00": 1225 mm / 48.22" Caliber 7,62x51 NATO With barrel 508 mm / 20.00": 1098 mm / 43.22" With folded stock": barrel 508 mm / 20.00": 898 mm / 35.35"
Barrel length	Interchangeable barrel and caliber 690 mm / 27.16", 338 Lapua Mag. (8,6x70mm) 635 mm / 25.00", 7,62x51 NATO and 6,5 Creedmoor 508 mm / 20.00", 7,62x51 NATO
Weight with magazine	6820 g / 15.04 lbs. with barrel 690 mm 6500 g / 14.33 lbs. with barrel 635 mm 6320 g / 13.93 lbs. with barrel 508 mm
Magazine (-capacity)	Detachable steel, double-column box magazine, 10 rounds
Trigger	Adjustable 2-stage trigger
Safety	Trigger safety, bolt handle and firing pin lock
Stock	Aluminum, foldable, adjustable cheek piece and butt plate M-LOK Forend
Twist rate	1 in 10" - 338 Lapua Mag. (8,6x70mm) 1 in 12" - 7.62x51 NATO 1 in 7,8" - 6,5 Greedmoor
Picatinny rail system	For mounting of day optics and night vision. 30 MOA

STEYR SSG SX



- + PICATINNY RAIL SYSTEM
- + LIGHTWEIGHT SYNTHETIC STOCK
- + SAFE BOLT SYSTEM



STEYR SSG SX
600 mm barrel



STEYR SSG SX
508 mm barrel

A 20 MOA Top-Picatinny rail (Mil. Std. 1913 rail) allows attachment of various day and night vision devices.

A bipod and a fully adjustable buttstock is also standard as well as the outstanding adjustable trigger and the 10 round hi-capacity magazine.

The fibreglass reinforced polymer stock in combination with the the aluminium bedding and match grade STEYR barrel guarantees outstanding accuracy.



SAFETY POSITION

- white dot is visible
- locked trigger
- safe loading and unloading



FIRING POSITION

- red dot is visible
- ready to fire



OPTIONAL LOCKING POSITION

- white dot and grey lock are visible
- grey lock can be felt (for darkness)
- Locked trigger and bolt
- set trigger is automatically uncocked



LOCKING POSITION +
FIRING PIN SAFETY

By pressing the bolt closer to the stock the firing pin is locked for additional safety during transportation.

SPECIFICATIONS	STEYR SSG SX
Caliber	.308 Win.
Overall length	1085 mm (42,7") 1180 mm (46,5")
Barrel length	508 mm (20,0") 600 mm (23,6")
Weight	Without magazine: 3,8 kg (8,4lbs) With magazine: 4,0 kg (8,8lbs)
Magazine (-capacity)	Detachable double-column box magazine 10 rds - 0,12 kg (0,26lbs)
Trigger system	2-stage trigger
Safety	Trigger safety, bolt handle and firing pin lock
Stock	Synthetic stock with polymer inlays, aluminum bedding block and adjustable cheek piece

STEYR SSG 08

- + SAFE BOLT SYSTEM
- + ALUMINIUM FOLDING STOCK
- + BUTT SPIKE FINE ADJUSTMENT



The STEYR SSG 08 is an extremely accurate bolt action rifle with detachable magazine and foldable high-strength aluminium stock. Due to the foldable stock it can be transported very comfortably. The cheek piece and the butt plate can be adjusted to meet the shooter's individual requirements. The bipod and the telescopic butt spike ensure a stable firing position. The ergonomic pistol grip can be customized to the user's hand.

The muzzle brake reduces the recoil of the rifle and accepts quick attachable silencers. The receiver features an integrated 20 MOA Picatinny top rail and additional rails on the fore-end for quick and secure mounting of various accessories. A night vision bridge for inline night vision devices is also available upon request.



STEYR SSG 08 Camouflage



STEYR SSG 08 Bush Camo



Foldable Aluminium Stock



Fixable high strength bipod

SPECIFICATIONS	STEYR SSG 08
Caliber	7,62x51 NATO, .300 Win. Mag., .338 Lap. Mag
Overall length	1.102 mm (43.4") 7,62x51 NATO 1.195 mm (47") 7,62x51 NATO, .300 Win. Mag. 1.280 mm (50.4") .300 Win. Mag., .338 Lap. Mag.
Barrel length	508 mm (20") 7,62x51 NATO 600 mm (23.6") 7,62x51 NATO, .300 Win. Mag. 690 mm (27.2") .300 Win. Mag., .338 Lap. Mag.
Weight without bipod and scope	5,46 kg (12 lbs) 7,62x51 NATO 5,6 kg (12.4 lbs) 7,62x51 NATO, .300 Win. Mag. 6,12 kg (13.5 lbs) .300 Win. Mag., .338 Lap. Mag.
Magazine (-capacity)	Detachable double-column box magazine 10 rounds 7,62x51 NATO, 8 rounds .300 Win. Mag., 6 rounds .338 Lap. Mag.
Trigger	2 stage trigger
Safety	Trigger safety, bolt handle and firing pin lock
Stock	Aircraft aluminium, foldable, adjustable cheek piece and butt plate, telescopic butt spike
Twist rate	1 in 12" 7,62x51 NATO, 1 in 10" .300 Win., 1 in 10" .338 Lap. Mag.
Picatinny rail system	For mounting of day optics and night vision
Surface finish	Steel components: MANNIX / Aluminium components: anodized black finish
Extras	Detachable bipod, muzzle brake to accept silencer, additional bridge mount for night vision devices available

STEYR SSG 08 A1

- + **EXTENDED** PICATINNY RAIL SYSTEM
- + **DUST** COVER
- + **HDB** - HEAVY DUTY BOLT
- + TRIGGER **ADJUSTABLE** IN LENGTH
- + **ALUMINIUM** FOLDING STOCK
- + **QUICK** LENGTH ADJUSTMENT

STEYR SSG 08 A1





SSG 08 A1



Foldable Aluminium Stock



Heavy duty bipod



STEYR SSG 08 A1

SPECIFICATIONS	STEYR SSG 08 A1
Caliber	7,62x51 NATO, .338 Lap. Mag.
Overall length	1.080 mm (42.5") 7,62x51 NATO 1.172 mm (46") 7,62x51 NATO 1262 mm (49.7") .338 Lap. Mag.
Barrel length	508 mm (20") 7,62x51 NATO 600 mm (23.6") 7,62x51 NATO 690 mm (27.2") .338 Lap. Mag.
Weight without bipod and scope	5,7 kg (12.6 lbs) 7,62x51 NATO 6,9 kg (15.2 lbs) 7,62x51 NATO 7,4 kg (16.3 lbs) .338 Lap. Mag.
Magazine (-capacity)	Detachable double-column box magazine 10 rounds 7,62x51 NATO 6 rounds .338 Lap. Mag.
Trigger	2 stage trigger
Safety	Trigger safety, bolt handle and firing pin lock
Stock	Aircraft aluminium, foldable, adjustable cheek piece and butt plate, telescopic butt spike

STEYR HS.50 M1

- + ONE PIECE STEEL **MUZZLE BRAKE**
- + **MULTIPURPOSE** PICATINNY RAIL SYSTEM
- + **ADJUSTABLE** CHEEK PIECE AND BUTT PLATE
- + **TAKE DOWN** DESIGN



The STEYR HS .50 M1 is the most powerful sniper rifle produced by STEYR ARMS. With its 5 round detachable magazine and multi purpose picatinny rail system it meets all requirements of a modern law enforcement and military long range sniper rifle. The sideloding 5 round magazine allows changing the magazine without moving the rifle. The rifle has a „Take down“ design that allows easy disassembling for transport and same point of impact after reassembling.

The STEYR HS .50 M1 features:

- + 5 round magazine
- + Multipurpose Picatinny rail system (20 MOA)
- + Adjustable cheek piece
- + Adjustable butt plate
- + Durable aluminium bipod
- + Adjustable monopod at the buttstock

A STEYR ARMS made suppressor is available for the STEYR HS .50 M1.

A single shot version is also available (STEYR HS .50).





STEYR HS.50 M1



TAKE DOWN DESIGN +



Original STEYR ARMS suppressor



5 round side loading magazine



Side loading Magazine
(low profile reloading)



Adjustable butt plate & monopod
at the butt stock, cheek piece



original transport case

SPECIFICATIONS	STEYR HS.50 M1
Caliber	.50 BMG (12,7x99 mm NATO)
Overall length	1500 mm / 59.4"
Barrel length	900 mm / 35.4"
Weight without scope	13,8 kg, 30.4 lbs
Height without scope	225 mm / 8.8"
Magazine (-capacity)	Detachable box magazine 5 rounds
Trigger	2 stage trigger
Safety	Triggersafety
Stock	Adjustable cheek piece / fixable bipod
NSN (Nato Stock number)	1005-41-002-1317
Picatinny rail system	For mounting of day optics and night vision



The new STEYR DMR 762 is a full metal semi-auto sniper rifle weighing less than 4 kg and delivering sub-MOA accuracy.

The folding and adjustable stock increases the rifles transportability, any AR15 butt stock can be mounted.

The stock is adjustable to six positions, in total the rifle can be elongated by up to 82mm.

No tools are needed for changing the charging handle from left to right, and it additionally serves as a forward assist when required.

Thanks to the push through safety, the ambidextrous magazine release and bolt release, the rifle is fully ambidextrous.

The handguard features M-LOK slots at 3, 6 and 9 o'clock to allow mounting of various attachments .



STEYR DMR 762

SPECIFICATIONS	STEYR DMR 762
Caliber	.308 Win. (7,62x51mm)
Overall length max/min	815 mm / 32,1", 645 mm / 25,4"
Barrel (length)	330 mm / 13,0", 1:12"
Weight	aprox 3,9 kg
Magazine	Detachable, synthetic, staggered box type.
Magazine capacity	10 rounds, 20 rounds
Trigger	semi-automatic trigger, compatible with „drop in“ AR10 trigger groups
Safety	Lateral push-through type locks trigger "cross-bolt type"
Stock	Buttstock can be folded to the right side. Standard AR15/M4 buffer tube, for AR15/M4 buttstock..
System	gas operating system
Action	Gas-operated. Gas regulator with two action settings for firing to guarantee proper function under all conditions.
Bolt	Rotary bolt, with seven locking lugs. The rifle can easily be changed from right to left hand ejection.
Handguard	M-Lok with detachable Picatinny-Rails
Pistol grip	AR-15 standard.

STEYR DMR 762

STEYR PISTOLS

+ USABILITY FOR PROFESSIONALS





STEYR PISTOLS A2 MF

- + INTERCHANGEABLE GRIP SIZE
LEFT/RIGHT/BACK
- + MAGAZINE FUNNEL FOR QUICK RELOADING
- + REAL PICATINNY RAIL

The newly designed STEYR PISTOL A2 MF series is the newest member in the STEYR ARMS product family. It is available in 3 sizes - (L-Large, M-Medium and C-Compact) with 17rnd magazine (9x19mm) respectively 15rnd magazine (.40 S&W), a real picatinny rail at the front side of the grip and a fully adjustable grip. The back strap as well as both sides of the grip are adjustable with different ergonomic sized inlays. The grip also features a funnel for a quick magazine change and is aggressively textured. The interchangeable magazine release allows an ambidextrous use.



COMES OPTIONAL WITH MANUAL SAFETY +



- AVAILABLE WITH
- trapezoid sight
 - rectangular sight
 - tritium low light sight
 - LPA match sight



- L-A2 MF
200 mm (7.9") / 17 rounds
- M-A2 MF
187 mm (7.4") / 17 rounds
- C-A2 MF
177 mm (7.0") / 17 rounds

SPECIFICATIONS	STEYR PISTOLS A2 MF
Overall height	142 mm / 5.6"
Width	33 mm / 1.3"
Magazine capacity	17 rounds, optional 10 rounds
Trigger	Reset action system (special double action system)
Safety	Trigger safety and drop safety, optional: manual trigger safety
Grip frame	Synthetic grip with changeable side-plates and back-straps

SPECIFICATIONS	STEYR PISTOL L-A2 MF	STEYR PISTOL M-A2 MF	STEYR PISTOL C-A2 MF
Caliber	9x19, .40 S&W	9x19, .40 S&W	9x19, .40 S&W
Overall length	200 mm / 7.9"	187 mm / 7.4"	177 mm / 7.0"
Barrel length	115 mm / 4.5"	102 mm / 4.0"	92 mm / 3.6"
Weight	785g / 27.7 oz	780g / 27.5 oz	766g / 27.0 oz




STEYR GL 40

+ POWER FOR PROFESSIONALS





stand alone GL40



Developed by STEYR ARMS the STEYR GL 40 is a light weight 40mm low velocity grenade launcher. Due to it's design and various mounting options it can be used as an under barrel launcher for the STEYR AUG or various other assault rifle.

The STEYR GL 40 is also available as a stand alone

grenade launcher with an ergonomic adjustable stock.

It is available either with a Steyr designed quick attach mount or a mount for picatinny rail (Mil. Std. 1913). Thanks to the safe and easy sidelading breech configuration all types of 40 mm grenades can be used. This provides superior combat capabilities.



SPECIFICATIONS	STEYR GL 40
Caliber/Twist Rate	40x46 mm LV
Overall length	270 mm / 10.6"
Barrel length	180 mm / 7.1"
Rifling	6 grooves, rh, 1 turn in 1,2 m
Trigger	DAO - double action only
Safety	100% ambidextrous Blocking the Hammer, Transfer bar between the Hammer and the firing pin (actuated via trigger)
Operation	Breech loading, break-action barrel

SPECIFICATIONS	STEYR GL 40 MIL. STD. 1913 MOUNT
Weight Launcher	1040 g / 36.68 oz
Added weight to the rifle for the Mounting clamps (AUG 20" Barrel)	105 g / 3.70 oz
Weight Stand-Alone Stock	140 g / 4.93 oz
Weight Stand-Alone ready to fire	1140 g / 40.21 oz
Length Stand-Alone overall	2180 g / 76.89 oz



STEYR UMS

- + SMALLER
- + LIGHTER
- + QUIETER

The STEYR UMS is a highly effective military grade suppressor. Due to its unique design there is nearly no backpressure to the weapon (for automatic weapons) which does not influence the lifetime of the weapon. It can be easily disassembled for cleaning or for renewing parts. The STEYR UMS is lighter and suppresses more sound than comparable other suppressors with the same measurements being ultra durable.



STEYR UMS

SPECIFICATIONS	STEYR UMS
Caliber	5.56x45 NATO, 223 Rem.
Weight	580 g / 1.28 lbs
Diameter	40 mm / 1.6"
Overall length of suppressor	180 mm / 7.1"
Added length to weapon	130 mm / 5.1"
Average sound suppression	30 dB (A)
Thread	quick lock for AUG A3 muzzle device





STEYR ARMS GmbH
Ramingtal 46
4442 Kleinraming | Austria
P +43 (0) 7252 896 0
F +43 (0) 7252 896 53
office@steyr-arms.com
www.steyr-arms.com

2023.12

